




## *contents*

<i>Polishing system</i> .....	05
<i>Spray guns and equipment</i> .....	13
<i>Sealing &amp; bonding</i> .....	21
<i>Abrasives</i> .....	27
<i>Masking products</i> .....	37
<i>Cleaning products &amp; consumables</i> .....	43
<i>Personal protection products</i> .....	47





## company profile

Car refinishing industry is a rapidly changing one in fact. New ecological regulations, low VOC requirements, continuously evolving paint technology, waterborne coatings, scratch-resistant clearcoats, all affect drastically the way modern professionals work. Without a doubt, there is a need for development of new materials, new working habits and having flexibility in paint preparation process.

Alexport Company appeared approximately at the same time when these major changes in the industry were taking place. Therefore flexibility and willingness to seek new solutions for new needs is in our blood.

Our philosophy is to be close to the painter and to identify real daily work challenges. Our mission is to provide car refinishing professional with easy and effective tools, and solutions. Whether it is in a spray booth in Greece or in a small garage on the other side of the world, we can help to improve quality, profitability, solve everyday problems or simply provide with advice. We are very aware that simply selling a product is just not good enough anymore thus we try hard -

***we are here for you...and dare to face your professional challenges!***



*We dare to face  
your professional challenges*

## **“ETALON” BRAND**

Literally **ETALON** stands for a noble purebred horse, at the same time it is associated with a recognized quality standard. Consequently **ETALON** brand illustrates this graceful horse, which is directly related with trust, reliability, loyalty and devotion. **ETALON** products in turn, seek to build relationships with its customers based on trust and reliability and are therefore entirely devoted to continues improvement, development and dedication to high quality.





# Polishing system

*Perfect finish...unbridled shine!*



## ET1001



**Description:** Fast Cut Compound I.

**Characteristics:** Ideal to deal with paint runs, "orange peel" and deep scratches.

**Application:** By polisher with yellow or blue polishing pad, or wool pad.

product code	packaging	
ET1001	bottle 1L	6 pcs / cart.

## ET1002



**Description:** Fine Compound II.

**Characteristics:** Most suitable for efficient removal of minor scratches, overspray and dust.

**Application:** By polisher with orange polishing pad.

product code	packaging	
ET1002	bottle 1L	6 pcs / cart.

## ET1003



**Description:** Machine Polish III.

**Characteristics:** Provides perfect, deep and consistent gloss finish, especially on dark colors. Effective for elimination of scratches from fast cut and fine compound residues.

**Application:** By polisher with orange or black polishing pad.

product code	packaging	
ET1003	bottle 1L	6 pcs / cart.



**Description:** Finishing Glaze.

**Characteristics:** Non abrasive compound with especially designed formula that penetrates paint and creates invisible thin protective film on the polished surface.

**Application:** By polisher with black polishing pad or by hand with ETALON MICROSHINE wipe or soft polishing wipe.

product code	packaging	
ET1003	bottle 1L	6 pcs / cart.

### ET1004



polishing system

**Description:** For effective inspection of compounding processes.

**Characteristics:** Perfect for cleaning and quick polishing. Safe on all paint surfaces. Excellent polishing results with POLISHING CLAY.

**Application:** By hand with ETALON MICROSHINE wipe or soft polishing wipe.

product code	packaging	
ET/TOP-007	bottle 0,5L	6 pcs / cart.

### Top inspection



**Description:** Extra hard yellow polishing pad.

**Characteristics:** Very abrasive, open cell pad for quick compounding process. Especially designed for old, weather worn coatings and large surfaces.

product code	dimensions	packaging
ET1502501	150mm x 25mm	28 pcs / cart.
ET1505001	150mm x 50mm	30 pcs / cart.

### Yellow Polishing Pad



## Blue Polishing Pad



**Description:** Hard blue polishing pad.

**Characteristics:** Exceptional for Fast Cut Compound usage, specifically for removal of painting defects and deep scratches. Ideal for effective compounding of old and new coatings.

product code	dimensions	packaging
ET1502502	150mm x 25mm	28 pcs / cart.
ET1505002	150mm x 50mm	30 pcs / cart.

## Orange Polishing Pad



**Description:** Medium orange polishing pad.

**Characteristics:** Particularly useful for elimination of minor scratches and imperfections.

product code	dimensions	packaging
ET1502503	150mm x 25mm	28 pcs / cart.
ET1505003	150mm x 50mm	30 pcs / cart.

## Black Polishing Pad



**Description:** Super Soft black polishing pad.

**Characteristics:** Guaranties high performance in application with fine polish and protective glaze for removal of hologrammes and gloss enhancing.

product code	dimensions	packaging
ET1502504	150mm x 25mm	28 pcs / cart.
ET1505004	150mm x 50mm	30 pcs / cart.



polishing system

**Description:** Calibrated wool pad for most demanding polishing tasks with Velcro backing.

**Characteristics:** Abrasive, most appropriate for demanding applications like deep scratches, old and weather worn coatings.

product code	dimensions	packaging
DLZ150V	diameter 150 mm	piece
DLZ180V	diameter 180 mm	piece

### Wool Pad



**Description:** Microfiber cloth for cleaning and polishing.

**Application:** Extraordinary for removal of polishing compound residues, cleaning and drying of the surface.

Does not scratch surfaces.

product code	dimensions	packaging
ET/MICRO-01	0,36 m x 0,36 m	piece

### Microshine



**Description:** Extremely soft, lint free wipe with incredible absorbing ability and amazing polishing results.

Does not scratch surfaces.

product code	dimensions	packaging
LU02250	0,32 m x 0,40 m	250 pcs/ roll in dispenser
LU021050	0,32 m x 0,40 m	500 pcs / cart.

### Polishing Wipe




## Polishing clay



**Description:** Non abrasive clay for rapid and effective elimination of overspray and bonded contaminants.

product code	packaging	
ET/ CLAY-003	220 γρ	τεμ

## Daisy Disc



**Description:** Abrasive daisy disc stickers P2500 for spot repair. Applicable with a special pad.

product code	dimensions	packaging
WS FLEX 18F	diameter 36 mm	100 pcs
SK-SOFT PAD	diameter 32 mm	piece

## Backing Pad



**Description:** Backing pad M14 for usage with every kind Velcro polishing pads.

product code	dimensions	packaging
ET128PLAT	diameter 128 mm	piece



**Description:** Paint run razor.

product code	packaging
ET/RR-109	piece

### Polishing Accessory



polishing system

**Description:** Polishing pad cleaning tool.

**Characteristics:** Significantly increases the life cycle of the pad.

product code	packaging
ET/SD-106	piece



**Description:** Touch-up tips for small and accurate touch-up jobs.

### Protouch

product code	packaging
PROTOUCH25	25 pcs/pack
PROTOUCH100	100 pcs/pack





**& Devilbiss spray guns  
& equipment**

*The ultimate revolution in spray gun technology!*



## GTI PRO Spray gun



spray guns & equipment

**Description:** Gravity spray gun, with first class atomization and material distribution.

**Characteristics:** Three advanced technology air caps for optimum application performance with the latest solvent and waterborne coatings. Marked as "BASE" and "CLEAR".

product code	description
GTIPRO-T1B-**	gun with a T1 Trans-tech air cap, marked as "BASE" * fluid tip size 1.2, 1.3, 1.4
GTIPRO-T2C-**	gun with a T2 Trans-tech air cap, marked as "CLEAR" * fluid tip size 1.2, 1.3, 1.4
GTIPRO-H1B-**	gun with a H1 HVLP air cap, marked as "BASE" * fluid tip size 1.2, 1.3, 1.4
GTIPRO-T1C-**	gun with a T1 Trans-tech air cap, marked as "CLEAR" * fluid tip size 1.2, 1.3, 1.4

## PRO air caps



### Application:

**T1 air cap** - Trans-Tech technology, recommended for base-coats and clear coats, especially when there is scarce air supply.

**T2 air cap** - Trans-Tech technology, recommended for all types of clear coats.

**H1 air cap** - HVLP technology, recommended for all types of basecoats.

product code	description
PRO-100-H1-K	H1 air cap and retaining ring
PRO-100-T1-K	T1 air cap and retaining ring
PRO-100-T2-K	T2 air cap and retaining ring
PRO-200-**	Fluid Nozzles size numbers 1.2, 1.3, 1.4
PRO-300-K	Fluid needle



**Description:** Trans-Tech spot repair gravity feed spray gun.  
**Characteristics:** The natural fit, feel and balance of a full size gun.  
**Application:** Perfect atomization for clear coats.

product code	description
SRI-G210B-**	gun with a 210 Trans tech air cap * fluid tip size 0.7, 0.8, 1.0, 1.2

### SRI spray gun



spray guns & equipment

**Description:** HVLP spot repair gravity feed spray gun.  
**Characteristics:** The natural fit, feel and balance of a full size gun.  
**Application:** Advanced atomization for solvent or waterborne basecoats.

product code	description
SRI-G215W-**	gun with a 215 HVLP air cap * fluid tip size 0.7, 0.8, 1.0, 1.2

### SRI W spray gun



## PRI PRO Spray gun



**Description:** High performance , gravity feed primer spray gun with advanced technology P1 Trans-tech Air Cap.

**Characteristics:** Incredibly fast application rates with all types of primers including latest generation water base materials.

**Application:** Advanced atomization for primers, fillers, surfacers and polyesters.

product code	description
PRIPRO-P1P-**	gun with a P1 Trans Tech air cap * fluid tip size 1.4, 1.6, 1.8, 2.0, 2.5

## GFG PRO Spray gun



**Description:** Professional conventional gravity feed spray gun with two advanced technology air cap C1 and C2.

**Characteristics:** Precision control of airflow, fluid flow and pattern shape.

**Application:** *C1 air cup* - recommended for basecoats and clear coats.

*C2 air cup* - recommended for primers and general usage.

product code	description
GFGPRO-C1-**	gravity gun with a C1 air cap * fluid tip size 1.4 and 1.6
GTIPRO-C2-18	gravity gun with a C2 air cap, fluid tip size 1.8



**Description:** General purpose Trans-tech technology spray gun.

**Characteristics:** Not suitable to use with waterborne materials.

**Application:** Particularly useful for a wide range of refinish paints and coatings.

product code	description
FLG-G5-14	gravity gun with a G5 Trans tech air cap, fluid tip size 1,4

### FLG Spray gun



spray guns & equipment

**Description:** Digital gauge with ultimate accuracy.

**Characteristics:** For precise adjustment of gun pressure. Clear and easy to read. Smooth, accurate control even when wearing gloves. Long lasting equipment.

product code	description
DGI-501-BAR	digital pressure gauge

### DGI Digital gauge



**Description:** Air adjusting valve with analogue gauge.

**Characteristics:** Fits neatly in-line at the gun air inlet to increase or decrease working pressure.

product code	description
HAV-501-B	air adj. valve with gauge BSP

### HAV Analogue gauge



## DVFR-1



**Description:** Filter regulator with 3 ball valve controlled outlets.  
**Characteristics:** Rolling diaphragm gives rapid response and sensitive air pressure control. Provides air filtered to 5 microns.

product code	description
DVFR-1	3 outlet filter regulator (90 cfm)

## DVFR-2



**Description:** Filter regulator coalescer with 3 ball valve controlled outlets.

**Characteristics:** High air flows for conventional and compliant spray gun. Provides air filtered to 0,01 microns suitable for air-fed respiratory outfits. Suitable for use in booth/oven up to 100° C.

product code	description
DVFR-2	3 outlet filter regulator coalescer (50cfm)

## DVFR-3



**Description:** Filter regulator with 2 ball valve controlled outlets.  
**Characteristics:** Semi automatic filter drain. Dual filtration process provides air filtered to 20 microns. Ideal for general workshop or prep deck station.

product code	description
DVFR-3	2 outlet filter regulator (60cfm)



**Description:** Filter regulator coalescer with activated carbon filter and 3 ball valve controlled outlets.

**Characteristics:** High air flows for conventional and compliant spray guns. Provides air filtered to 0,01 microns suitable for air-fed respiratory outfits. Activated carbon filter removes air carry over to 0,003 ppm. Suitable for use in booth/oven up to 100° C.

product code	description
DVFR-8	3 outlet filter regulator coalescer with activated carbon filter

**DVFR-8**



spray guns & equipment

**Description:** Lightweight, gun mounting air filter.

**Characteristics:** High efficiency action traps water, oil and dirt. Tough solvent resistant housing.

product code	description
HAF-507-K12	Disposable air filter , pack of 12 pieces

**In Line Air Filter**



**Description:** Air dryer guns and systems.


**Characteristics:** A versatile system to speed up the drying process. DMG guns multiply their intake by a factor of 7 to give generous air volumes. Feature intake debris filters and shut-off valves. Solvent resistant for cleaning in gun wash machines.

product code	description
DMG-501-K	Single air dryer gun - boxed
DMG-620	Two gun stand system with hose

**DMG air dryer gun**



## Gravity gun stand



**Description:** Stable metal workbench stand for 2 guns with a paint strainer retainer.

product code	description	packaging
ET/DH-112	Dual spray gun retainer	piece

## Gun cleaning kit



**Description:** Professional Spray gun cleaning set.

**Characteristics:** Consists of all required brushes and needles for perfect gun and spare part maintenance.

product code	description	packaging
MK-2000-21	21 pieces cleaning set	set
EB-S-3	2 brushes cleaning set	set

## DAGR Airbrush



**Description:** Gravity feed airbrush for artistic automotive jobs.

**Characteristics:** Lightweight, well balanced with smooth double action trigger. Airline detail to high paint-flow shading and gradual fades. Sprays most automotive paints and lacquers.

product code	description
DGR-501B-35	Gravity airbrush

# & Sealing & bonding

*Flexibility, Reliability and Speed.*



## Mount tape




**Description:** Black PE-FOAM tape, double sided coated with solvent acrylic adhesive.

**Application:** For long term mounting applications inside and outside of the cars and vehicles.

product code	dimensions	packaging
ET2100910	9mm x 10m	24 pcs/ cart.
ET2101210	12mm x 10m	100 pcs/ cart.
ET2101510	15mm x 10m	80 pcs/ cart.
ET2101910	19mm x 10m	64 pcs/ cart.

## HS Acryl tape



**Description:** HS double sided acrylic tape.

**Characteristics:** Self stick acrylic adhesive for demanding requirements and permanent bonding applications inside and outside of the cars and vehicles. Resistant to temperatures up to 130° C.

product code	dimensions	packaging
ET/D8405-09	9mm x 5,5m	2 pcs/ cart
ET/D8405-12	12mm x 5,5m	2 pcs/ cart
ET/D8405-19	19mm x 5,5m	1 pcs/ cart

## PU Windscreen Adhesive



**Description:** Fast curing , flexible high performance polyurethane adhesive specific for automotive windows and windscreen bonding.

**Characteristics:** Specially designed to give an ultra fast drive away time to vehicles with 2 airbags - 60 minutes.

product code	description	packaging
ET/W-9000	black 310 ml	12 pcs / cart
ET/P-901	primer black 30 ml	piece
ET/A-902	activator 30 ml	piece
ET/PA-03	application brush	piece



**Description:** Fast drying brushable seam sealant for car joints bonding.

**Characteristics:** Does not run or peel off, excellent adhesion on metallic, primed and painted surfaces. Overpaintable.

product code	description	packaging
ET/B-7100	grey 1 kg	12 pcs / cart.
ET/B-7101	rigid brush	piece

### Brushable Seam Sealant



**Description:** Fast skinning and fast curing polyurethane adhesive & sealant.

**Characteristics:** Easily smoothed & leveled by brush, allowing fast over-painting in body refinish and repair operations. Overpaintable.

product code	description	packaging
ET/PU-7200W	310ml, white	12 pcs / cart.
ET/PU-7200B	310ml, black	12 pcs / cart.
ET/PU-7200G	310ml, grey	12 pcs / cart.

### 1K PU Sealant



sealing & bonding

**Description:** Fast drying sprayable seam sealer for sealing polyester and metallic parts for OEM texture result.

**Characteristics:** Perfect adhesion to all surfaces. Isocyanate and silicone free. Can be applied by gun and brush. Overpaintable.

product code	description	packaging
ET/MS-7300	grey 290 ml	12 pcs / cart.

### MS Sprayable Seam Sealant



## ET/PM-200



**Description:** Professional pneumatic gun for MS Sprayable seam sealer. Suitable for aluminum/plastic cartridges 290/310 ml.

product code	specifications	packaging
ET/PM-200	pneumatic gun	piece

## ET/RP-245



**Description:** Professional pneumatic gun 290/310 ml and sausages 400 ml.

product code	specifications	packaging
ET/RP-245	pneumatic gun	piece

## ET/PS-270



**Description:** Professional manual operating gun for cartridges 290/310 ml and sausages 400 ml.

product code	specifications	packaging
ET/PS-270	manual operating gun	piece



**Description:** 2 component polyurethane adhesive for plastic repair.

**Application:** Ensures high performance on both rigid and flexible plastics. Ideal for bumper repair.

product code	description	packaging
ET/PU-9025	black 25 ml	piece

### 2K PU Adhesive



**Description:** Professional gun for sound proofing materials.

product code	specifications	packaging
ET/RA-100	pneumatic gun	piece

### ET/RA-100




**Description:** Self-adhesive sounddeadening panels.

**Application:** For deadening vibrations and various noises.

product code	description	dimensions	packaging
ET/FLEX-50	rough	50 cm x 50 cm	10 pcs / cart.
ET/FLAT-50	flat	50 cm x 50 cm	10 pcs / cart.

### Sound deadening panels



sealing & bonding



# Abrasives

*Future technology available today*



## Multihole system

**Description:** Patented special multihole abrasive discs and rolls with Velcro system.

**Characteristics:** MULTIHOLE disc, in contrast to the discs with the conventional extraction holes does not show typical loading patterns in the centre and the formation of “built-up” on the abrasive grain. Multihole system effectively extends discs life cycle by 2.5 times. Fits all existent backing pads.

**Usage advice:** In case of applying special Multihole backing pad, the stock removal rate will be even greater and the disc usage will be prolonged.



product code	specifications	dimensions	dimensions
6036388	VC 151 MULTIHOLE DISC P80	diameter 150 mm	50 pcs / box
6036389	VC 151 MULTIHOLE DISC P120	diameter 150 mm	100 pcs / box
6036390	VC 151 MULTIHOLE DISC P150	diameter 150 mm	100 pcs / box
6036431	VC 151 MULTIHOLE DISC P180	diameter 150 mm	100 pcs / box
6036432	VC 151 MULTIHOLE DISC P220	diameter 150 mm	100 pcs / box
6036433	VC 151 MULTIHOLE DISC P240	diameter 150 mm	100 pcs / box
6036434	VC 151 MULTIHOLE DISC P320	diameter 150 mm	100 pcs / box
6036435	VC 151 MULTIHOLE DISC P400	diameter 150 mm	100 pcs / box
6036436	VC 151 MULTIHOLE DISC P500	diameter 150 mm	100 pcs / box



product code	specifications	dimensions	dimensions
6147643	VC 151 MULTIHOLE ROLL P80	70mm x 25m	roll
6147644	VC 151 MULTIHOLE ROLL P120	70mm x 25m	roll
6147646	VC 151 MULTIHOLE ROLL P150	70mm x 25m	roll
6147647	VC 151 MULTIHOLE ROLL P180	70mm x 25m	roll
6147649	VC 151 MULTIHOLE ROLL P240	70mm x 25m	roll
6155517	VC 151 MULTIHOLE ROLL P320	70mm x 25m	roll
6157003	VC 151 MULTIHOLE ROLL P400	70mm x 25m	roll
6147654	VC 151 MULTIHOLE ROLL P80	115mm x 25m	roll
6147657	VC 151 MULTIHOLE ROLL P120	115mm x 25m	roll
6147658	VC 151 MULTIHOLE ROLL P150	115mm x 25m	roll
6147659	VC 151 MULTIHOLE ROLL P180	115mm x 25m	roll
6147660	VC 151 MULTIHOLE ROLL P240	115mm x 25m	roll
6157004	VC 151 MULTIHOLE ROLL P320	115mm x 25m	roll
6157005	VC 151 MULTIHOLE ROLL P400	115mm x 25m	roll



**Description:** 7 holes abrasive disc with velcro system.

**Characteristics:** High quality abrasive disc for professional application on the vehicle for coarse, intermediate and fine sanding of all materials. Long life and excellent finish.

**6+1 Abrasive disc**

product code	specifications	dimensions	packaging
6018666	VC 151 6+1 P60	diameter 150 mm	50 pcs / box
6017361	VC 151 6+1 P80	diameter 150 mm	50 pcs / box
6017362	VC 151 6+1 P120	diameter 150 mm	100 pcs / box
6018668	VC 151 6+1 P150	diameter 150 mm	100 pcs / box
6017363	VC 151 6+1 P180	diameter 150 mm	100 pcs / box
6018669	VC 151 6+1 P220	diameter 150 mm	100 pcs / box
6017364	VC 151 6+1 P240	diameter 150 mm	100 pcs / box
6017365	VC 151 6+1 P320	diameter 150 mm	100 pcs / box
6017366	VC 151 6+1 P400	diameter 150 mm	100 pcs / box
6017367	VC 151 6+1 P500	diameter 150 mm	100 pcs / box



**Description:** 9 holes abrasive disc with velcro system.

**Characteristics:** High quality abrasive disc for professional application on the vehicle for coarse, intermediate and fine sanding of all materials. Long life and excellent finish.


**8+1 Abrasive disc**

product code	specifications	dimensions	packaging
6016833	VC 151 8+1 P60	diameter 150 mm	50 pcs / box
6016834	VC 151 8+1 P80	diameter 150 mm	50 pcs / box
6016836	VC 151 8+1 P120	diameter 150 mm	100 pcs / box
6016837	VC 151 8+1 P150	diameter 150 mm	100 pcs / box
6016838	VC 151 8+1 P180	diameter 150 mm	100 pcs / box
6016839	VC 151 8+1 P220	diameter 150 mm	100 pcs / box
6016840	VC 151 8+1 P240	diameter 150 mm	100 pcs / box
6016841	VC 151 8+1 P320	diameter 150 mm	100 pcs / box
6016842	VC 151 8+1 P400	diameter 150 mm	100 pcs / box
6016843	VC 151 8+1 P500	diameter 150 mm	100 pcs / box



abrasives

## Abrasive strips



**Description:** Abrasive strips with intergraded extraction holes for dust-reduced working.

**Characteristics:** Ideal for coarse and intermediate sanding of polyester putties, fillers and primers.

product code	specifications	dimensions	packaging
6099444	VC 151 STRIPS 10 holes P60	70x420mm	50 pcs / box
6099445	VC 151 STRIPS 10 holes P80	70x420mm	50 pcs / box
6099452	VC 151 STRIPS 10 holes P120	70x420mm	50 pcs / box
6099453	VC 151 STRIPS 10 holes P150	70x420mm	50 pcs / box
6099122	VC 151 STRIPS 14 holes P60	115x230mm	50 pcs / box
6099123	VC 151 STRIPS 14 holes P80	115x230mm	50 pcs / box
6099124	VC 151 STRIPS 14 holes P120	115x230mm	50 pcs / box
6099125	VC 151 STRIPS 14 holes P150	115x230mm	50 pcs / box

abrasives

## Strips for clamps



**Description:** Abrasive strips for manual sanding.

**Characteristics:** Ideal for coarse and intermediate sanding of polyester putties, fillers and primers.

product code	specifications	dimensions	packaging
6066384	VC 152 no holes P60	115x280mm	50 pcs / box
6075473	VC 152 no holes P80	115x280mm	50 pcs / box
6075474	VC 152 no holes P100	115x280mm	100 pcs / box
6074518	VC 152 no holes P120	115x280mm	100 pcs / box
6075088	VC 152 no holes P180	115x280mm	100 pcs / box
6075089	VC 152 no holes P220	115x280mm	100 pcs / box



**Description:** Special sanding disc with velcro system for professional use in body shops.

**Characteristics:** Patented netlike structure allows sanding with significantly less dust and very fine surface finish. Extremely soft disc for sanding of very difficult surfaces. Fits on all existing backing pads. Perfect for final sanding before paint application and lacquer finishing.

### Finetet II



product code	specifications	dimensions	packaging
6173177	FN915 II +1000	diameter 150 mm	20 pcs / box
6173532	FN915 II +1500	diameter 150 mm	20 pcs / box
6173535	FN915 II +2000	diameter 150 mm	20 pcs / box
6175309	FN915 II +4000	diameter 150 mm	20 pcs / box

**Description:** Very stable waterproof abrasive sheets.

**Characteristics:** Suitable for wet or dry manual sanding of primers and painted areas except of polyester materials.


### Waterproof sheets



product code	specifications	dimensions	packaging
2336456	WS FLEX 16 P320	230x280mm	100 pcs / box
2336464	WS FLEX 16 P400	230x280mm	100 pcs / box
2357054	WS FLEX 16 P600	230x280mm	100 pcs / box
2321297	WS FLEX 16 P800	230x280mm	100 pcs / box
2336472	WS FLEX 16 P1000	230x280mm	100 pcs / box
2336480	WS FLEX 16 P1200	230x280mm	100 pcs / box
6007221	WS FLEX 16 P1500	230x280mm	100 pcs / box
6007222	WS FLEX 16 P2000	230x280mm	100 pcs / box
6007223	WS FLEX 16 P2500	230x280mm	100 pcs / box
6139658	WS FLEX 16 P3000	230x280mm	100 pcs / box

abrasives

## WEBRAX sheets



**Description:** Highly flexible non-woven nylon fibre abrasive discs and rolls.

**Characteristics:** Very practical and high tear-resistant, for manual sanding of contours, rounded areas and areas difficult to access.

**Red:** For conditioning of new, old and aluminum surfaces.

**Grey:** For fine sanding of fillers, lacquers and fading out.

product code	specifications	dimensions	packaging
6050872	WEBRAX OA 711 RED +280	115mmx229mm	20 pcs / box
6050873	WEBRAX OS 712 GREY +1500	115mmx229mm	20 pcs / box
6050828	WEBRAX OA 711 RED +280	100mmx10m	roll
6050930	WEBRAX OS 712 GREY +1500	100mmx10m	roll

## Abrasive sponges



**Description:** Soft abrasive sponges.

**Characteristics:** Flexible, adapts very well to shape without creating angles. Suitable for intermediate and final sanding.

*Sponges 60 - 180 best for sanding before applying primer.*

*Sponges 220-600 best for dry final sanding.*


product code	specifications	dimensions	packaging
6012838	SPONGE COARSE 60 (P120-150)	115mmx140mmx5mm	220 pcs / box
6012839	SPONGE MEDIUM 100 (P180-220)	115mmx140mmx5mm	20 pcs / box
6012840	SPONGE FINE 180 (P280-320)	115mmx140mmx5mm	20 pcs / box
6012841	SPONGE EXTRAFINE 220 (P400-500)	115mmx140mmx5mm	20 pcs / box
6012842	SPONGE SUPERFINE 280 (P600-1000)	115mmx140mmx5mm	20 pcs / box
6012843	SPONGE ULTRAFINE 400 (P1200-2000)	115mmx140mmx5mm	20 pcs / box
6012844	SPONGE MICROFINE 600 (P2500<)	115mmx140mmx5mm	20 pcs / box

**Description:** Special wheel for cleaning of rust and old paints.

**Characteristics:** Ideal for general preparation of the surface before painting process.

product code	specifications	dimensions	packaging
6013698	FW 340 X 30x10mm P60	30mmx10mm	10 pcs / box
6013699	FW 340 X 30x10mm P80	30mmx10mm	10 pcs / box
6013701	FW 340 X 30x10mm P120	30mmx10mm	10 pcs / box

### Flap wheels



**Description:** Cleaning wheel for removal of soft materials like anti-chip coatings, sealants and basecoats.

**Characteristics:** Flexible and durable. Ensures easy access to difficult areas and provides high performance in creation of smooth and even finish. Does not harm the surface.

product code	description	dimensions	packaging
2674076	MULTICLEAN CLEANING DISC	100x13mm	10 pcs / box
6080418	MULTICLEAN CLEANING DISC	115x22mm	5 pcs / box

### Cleaning disc



**Description:** Multihole backing pad for all type of sanding discs.

**Characteristics:** Multihole system guarantees long disc life and high performance.

product code	description	dimensions	packaging
6039385	BACKING PAD MULTIHOLE, <b>MEDIUM</b>	diameter 147 mm	1 piece / box
6039384	BACKING PAD MULTIHOLE, <b>SOFT</b>	diameter 147 mm	1 piece / box

### MULTIHOLE Backing Pad



## Vel hand block



**Description:** Velcro system hand block for velour-backed strips.  
**Characteristics:** Lightweight, with dust extraction, specially designed for comfortable application by hand and ease of movement.

product code	description	dimensions	packaging
6092824	VEL HAND BLOCK	70 x 400mm	piece
6092820	VEL HAND BLOCK	70 x 125mm	piece

## Palm sander



**Description:** Hand block for velour-backed discs, used for areas difficult to access.

product code	description	dimensions	packaging
6086496	PALM SANDER	diameter 150 mm	piece

## Hand pad



**Description:** Flexible hand pad for manual sanding using velour-backed discs 150mm.

product code	description	dimensions	packaging
6010337	VEL HAND PAD	diameter 148 mm	piece

**Description:** Soft hand pad.

**Characteristics:** Specially designed for comfortable manual use.

product code	description	packaging
ET/SB-112	Soft block bulk pack	piece

### Soft hand pad



**Description:** Complete set of abrasive sanding blocks.

product code	description	packaging
ET/AP-101	HAND PAD KIT	piece

### Hand pad kit



**Description:** Special memory sanding block.

**Characteristics:** Specifically designed to “memorize” the shape of the surface.

product code	description	packaging
ET/MB-101	Memory block side & psa side	piece

### Memory hand pad



## Rocker Block



**Description:** Half hand pad for sanding discs 150mm.

**Characteristics:** Ideal shape for a variety sanding applications with discs.

product code	description	packaging
ET/RK-108	Rocker block 6" disc sanding block	piece

## Stripe removal wheel



**Description:** Special rubber tool to strip away residues of double-sided tape, decal and molding adhesive.

**Characteristics:** Does not burn or decolorate the auto body panel. Maximum working speed 2500 rpm.

product code	description	dimensions	packaging
TSRW	Wheel	90 mm	piece
TSRW-M	Wheel holder		piece

# Masking products

*Minimum effort - Maximum results!*



## Masking Tape



**Description:** Professional masking tape for precise and clean masking jobs throughout the painting process of the surface.

**Characteristics:** Strong adhesion on all types of paints and clear coats. Easily removed, without leaving any glue residues. Withstands temperatures up to 80° C.

product code	dimensions	packaging
ET2011950	19mm x 50 yards	96 pcs / cart.
ET2012550	25mm x 50 yards	72 pcs / cart.
ET2013850	38mm x 50 yards	48 pcs / cart
ET2015050	50mm x 50 yards	36 pcs / cart.

## Masking Paper



**Description:** Masking paper for professional use for car and its parts' coverage during the painting procedures.

**Characteristics:** 40 g/m high quality 100% Kraft paper , resistant to all types of paints and varnishes. Does not leave lint.

product code	dimensions	packaging
ET5408500	850mm x 300m	roll
ET5406000	600mm x 300m	roll
ET5402000	200mm x 300m	roll

## Masking Nylon Film



**Description:** Masking nylon film for professional use for car and its parts' coverage during the painting process.

**Characteristics:** Extremely effective in withholding overspray. Paintable. Statically charged and resistant to infrared light. Thickness 10 microns.

product code	dimensions	packaging
ET/CRM-40	300m	roll



**Description:** Professional Foam Masking Tape for insulation of gaps, made of a special foam material that prevents formation of hard paint edge during the painting jobs.

**Characteristics:** Has unique dimensions and form (world patent) that allows it to be placed either in narrow or larger space and covers 95% of all car gaps. Does not leave residues.

Resists temperatures as high as 95° C.

product code	dimensions	packaging
K-FM950	25mm x 50m	piece
FM-BOX	25mm x 5m	6 pcs / cart.

### Foam Mask



**Description:** Classic foam masking tape for professional covering of car gaps and protection of the inside and outside of vehicle from overspray.

**Characteristics:** Ideal shape ensures a very easy and complete application. Does not leave residues.

Temperature resistant up to 80° C.

product code	dimensions	packaging
ET/FM-1350	13mm x 50m	piece

### Classic Foam Tape



**Description:** Trim mask tape for coverage of door and window areas, as well as of headlamps, rear lights and direction indicators.

**Characteristics:** Perforated for easy tear - eliminates the need for cutting tools. Does not leave residues. Resistant to all kinds of paint and temperature up to 150° C.

product code	dimensions	packaging
K-TM21S	50mm x 10m	6 pcs / box

### Trim mask



## Protection Mask




**Description:** PE foil, with an adhesive edge of paper masking tape.

**Characteristics:** Specially designed and folded for time saving and easy use. Temperature resistant up to 100° C. Paintable.

product code	dimensions	packaging
K353-100	550 mm x 35m	60 pcs / box
K353-120	1100 mm x 35m	30 pcs / box

## Fine Line Tape



**Description:** Fine line green tape.

**Characteristics:** Extremely flexible for effective applications with excellent adhesion to all surfaces. Waterproof, solvent proof and temperature resistant up to 130° C.

product code	dimensions	packaging
F168E-03	3 mm x 55m	10 pcs / cart.
F168E-06	6 mm x 55m	10 pcs / cart.
F168E-09	9 mm x 55m	10 pcs / cart.

## Duct cloth tape



**Description:** General usage tape with aluminum lining.

**Characteristics:** Stabilized cloth tape single side coated with a stable rubber adhesive for general fixation and edge protection while sanding and paint preparation process.

product code	dimensions	packaging
G760-S50	50 mm x 50m	48 pcs / cart.



**Description:** Blue tape for windshield fixation.

**Characteristics:** Rigid PVC film with easy perfect adhesion to all surfaces without leaving residues.

Temperature resistant up to 70°C. Ideal "in frame" fixation of windshield during glue drying process.

product code	dimensions	packaging
F24-QR50	50 mm x 66m	36 pcs / cart.

### Blue tape



**Description:** Protection nylon cover for steering wheel, seat and floor mat during painting process.

**Characteristics:** Effective car interior protection. Do not slip off, resistant to dust and water.

product code	description	packaging
ET3009702	dispenser box	250 sets/roll

### Optiset "3 in 1"



**Description:** Masking film cutter.

**Characteristics:** Enclosed blade for safe usage.

product code	packaging
ET3000265	50 pcs / cart.

### Cutter



masking products

## Mobile dispenser



**Description:** Mobile dispenser for masking nylon film.

product code	packaging
ET3001140	piece

## Wall dispenser



**Description:** Wall dispenser for 1 box of Optiset.

product code	packaging
ET3008016	piece

**& Cleaning products  
& consumables**

*...when the details make the difference*



## White tack rag




**Description:** White cleaning tack cloth made from 100% cotton gauze for complete removal of dust particles from car surface.

**Characteristics:** Compatible with all paints and lacquers. Does not dry out or leave lint. Wax and silicone free.

*Impregnation : Medium*

product code	dimensions	packaging
ET4004251	0,75 m x 0,42 m	240 pcs / cart.

## Blue tack rag



**Description:** Blue non woven cleaning wipe, with specially designed cells for better dust migration and retention.

**Characteristics:** Ideal for water base paints. Does not dry out or leave lint. Wax and silicone free.

*Impregnation : Low*

product code	dimensions	packaging
ET4000003	0,32 m x 0,40 m	240 pcs / cart.

## High tack rag



**Description:** Textured tack cloth with large surface cotton gauze for efficient dust removal and for more convenient usage.

**Characteristics:** Does not dry out or leave lint. Wax and silicone free.

*Impregnation : High*

product code	dimensions	packaging
ET/T-641	0,85 m x 0,90 m	100 pcs / cart.



**Description:** Non woven wipe made of 100% polypropylene.

**Characteristics:** Highly absorbent – will quickly mop-up oil, water and lubricants. Cleans perfectly by pulling up grease, dust, tar, dirt and contaminants up and away from the car surface. Solvent resistant and lint free.

product code	dimensions	packaging
BLUETEX	0,32 m x 0,40 m	500 pcs / cart.
BLUETEXR500	0,32 m x 0,40 m	500 pcs / perforated roll
BLUETEX250	0,32 m x 0,40 m	250 pcs/ roll in dispenser

### Bluetex



**Description:** Booth tacky coating.

**Application:** Applicable to the inner walls of the paint booth, creates clear film which protects from dust and overspray. Washed away easily with warm water.

product code	packaging	
ET/C180-5	5 litres	ΤΕΜ
ET/C180-25	25 litres	ΤΕΜ

### Booth mask



**Description:** Disposable paint strainers for quick and safe filtering of paints and clear coats.

**Characteristics:** Lint free nylon mesh is glued to the exterior side of the strainer. No direct contact between filtered material and the glue, thus avoiding any possibility of contamination of the base-coat and clear coat being strained.

**Applications:** Compatible for both solvent based and water based paints and clear coats.

product code	specification	packaging
ET3101900	190 µm	1000 pcs / cart.
ET3101250	125 µm	1000 pcs / cart.

### Paint strainers



## Mixing cups



**Description:** High quality plastic mixing cups for mixing and storage of all paint materials.

**Characteristics:** Made of polypropylene resistant to solvents with mixing scale from 1:1 to 5:1.

product code	packaging	
	ET/MIX-385	385 ml
ET/MIX-075	750 ml	200 τεμ / κιβ
ET/MIX-014	1400 ml	200 τεμ / κιβ
ET/MIX-023	2300 ml	200 τεμ / κιβ
ET/LID-385	καπάκι 385ml	200 τεμ / κιβ
ET/LID-075	καπάκι 750ml	200 τεμ / κιβ
ET/LID-014	καπάκι 1400ml	200 τεμ / κιβ
ET/LID-023	καπάκι 2300ml	200 τεμ / κιβ

# Personal protection products

*...safer work - better work*



## Full face mask



**Description:** Full face Air -fed visor outfit.

**Characteristics:** The only mask that effectively protects from isocyanium. Easy to use. A single airline supplies breathing and spraying equipment. Waist belt incorporates odour filter and pre-set visor air regulator.

product code	description	packaging
MPV-623	Complete integral mask	piece

## Half mask with A2 filters



**Description:** Protection half mask respirator with A2 specification filters, for reliable protection from paints, solvents, organic steems and dust.

**Characteristics:** With replaceable prefilters and filters. Suitable for defense from all organic fumes.

product code	description	packaging
MPV-629	Half mask	piece
MPV-492	Prefilter covers and filter pads	2 pcs
MPV-494-K2	A2 specification filters	2 pcs

## Protection goggles



**Description:** Protective goggles for use with half mask.

**Characteristics:** Lightweight, with proper face fit for ultimate eye protection. Comes with adjustable strip for more comfort and stability.

product code	packaging
MPV-4006	piece



**Description:** Disposable respiratory P1 mask.

**Characteristics:** Provides protection against toxic fine dust 4 times higher than OEL . Without exhalation valve.

Approved by CE 0086 EN149:2001

product code	specifications	packaging
ET/HY9310	FFP1	20 pcs / cart.

### P1 MASK



**Description:** Disposable respiratory P1 mask with valve.

**Characteristics:** Provides protection against toxic fine dust 4 times higher than OEL. Comes with exhalation valve for ease of use and prevents temperature increase in the mask.

Approved by CE 0086 EN149:2001

product code	specifications	packaging
ET/HY9312	FFP1	12 pcs / cart.

### P1 MASK with valve



**Description:** Disposable respiratory P2 mask with valve.

**Characteristics:** Provides protection against toxic fine dust 10 times higher than OEL. Comes with exhalation valve.

Approved by CE 0086 EN149:2001

product code	specifications	packaging
ET/HY9322	FFP2	12 pcs / cart.

### P2 MASK with valve



## P1 mask active carbon



**Description:** Disposable respiratory P1 mask with active carbon and valve.

**Characteristics:** Active carbon filter neutralizes harmful odours. Provides protection against toxic fine dust 4 times higher than OEL. Comes with exhalation valve.

Approved by CE 0086 EN149:2001

product code	specifications	packaging
ET/HY9316	FFP1	12 pcs / cart.

## Dust mask



**Description:** Disposable protection mask from dust particles.

**Characteristics:** Simple respiratory protection mask from non toxic substances and dust. Comfortable, does not cause skin irritations.

product code	packaging
ET/HY98850	50 pcs / cart.

## Vinyl gloves



**Description:** Vinyl gloves for hand protection from overspray and other chemicals.

product code	size	packaging
ET/HY9652-01	- L -	100 pcs / box
ET/HY9652-02	- XL -	100 pcs / box



**Description:** Nitrile gloves, exceptional resistance to solvents, lubricants, acids and other chemical substances. Powder free.

product code	size	packaging
ET/HY9692-01	- L -	100 pcs / box
ET/HY9692-02	- XL -	100 pcs / box

### Nitrile gloves



**Description:** Painters overall belong to Category 3 type 5-6 products - particles and liquids/splashes protection, made of strong and soft non woven material that consists of polypropylene and polyethylene micropores.

**Characteristics:** Specially designed to have breathable back part and assure a perfect ergonomic fit. Antistatic, silicone free. Does not leave lint.

product code	size	packaging
ET/CC6KP-3	- L -	25 pcs / cart.
ET/CC6KP-4	- XL -	25 pcs / cart.
ET/CC6KP-5	- XXL -	25 pcs / cart.

### Carsafe overall




**Description:** Painters jacket belong to Category 3 type 5-6 products - particles and liquids/splashes protection, made of strong and soft non woven material that consists of polypropylene and polyethylene micropores.

**Characteristics:** Specially designed to assure a perfect ergonomic fit. Antistatic, silicone free. Does not leave lint.

product code	size	packaging
ET/C25JKP-3	- L -	50 pcs / cart.
ET/C25JKP-4	- XL -	50 pcs / cart.
ET/C25JKP-5	- XXL -	50 pcs / cart.

### Cleansafe jacket





[www.alexport.gr](http://www.alexport.gr)